American Journal of Physiology-Cell Physiology

No. 1. JANUARY 2001

INVITED REVIEW

Noninvasive measurement of hydrogen and potassium ion flux from single cells and epithelial structures
P. J. S. Smith and J. Trimarchi C1

Telokin expression is restricted to smooth muscle tissues during mouse development
B. P. Herring, G. E. Lyons, A. M. Hoggatt, and P. J. Gallagher C12

Heterogeneity of calcium stores and elementary release events in canine pulmonary arterial smooth muscle cells
R. Janiak, S. M. Wilson, S. Montague, and J. R. Hume C22

Gender-related distinctions in protein kinase C activity in rat vascular smooth muscle
C. A. Kanashiro and R. A. Khalil C34

Desmin integrates the three-dimensional mechanical properties of muscles
A. M. Boriek, Y. Capetanaki, W. Hwang, T. Officer, M. Badshah, J. Rodarte, and J. G. Tidball C46

Oxidative stress regulates collagen synthesis and matrix metalloproteinase activity in cardiac fibroblasts
D. A. Siwik, P. J. Pagano, and W. S. Colucci C53

Chromaffin-adrenocortical cell interactions: effects of chromaffin cell activation in adrenal cell cocultures
S. P. Shepherd and M. A. Holzwarth C61

Osteoblast expression of vascular endothelial growth factor is modulated by the extracellular microenvironment
J. A. Spector, B. J. Mehrara, J. A. Greenwald, P. B. Saadeh, D. S. Steinbrech, P. J. Bouletreau, L. P. Smith, and M. T. Longaker C72

Modulation of P2Z/P2X$_7$ receptor activity in macrophages infected with *Chlamydia psittaci*
R. Coutinho-Silva, J.-L. Perfettini, P. M. Persechini, A. Dautry-Varsat, and D. M. Ojcius C81

A role for PYK2 in regulation of ERK1/2 MAP kinases and PI 3-kinase by ANG II in vascular smooth muscle
P. Rocic, G. Govindarajan, A. Sabri, and P. A. Lucchesi C90

Role of calcium and calmodulin in ciliary stimulation induced by acetylcholine
O. Zagoory, A. Braiman, L. Gheber, and Z. Priel C100

Activation of MT$_2$ melatonin receptors in rat suprachiasmatic nucleus phase advances the circadian clock
A. E. Hunt, W. M. Al-Ghoul, M. U. Gillette, and M. L. Dubocovich C110

Effects of extracellular calcium and potassium on the sodium pump of rat adrenal glomerulosa cells
D. R. Yingst, J. Davis, and R. Schiebinger C119

Defective dietary fat processing in transgenic mice lacking aquaporin-1 water channels
T. Ma, S. Jayaraman, K. S. Wang, Y. Song, B. Yang, J. Li, J. A. Bastidas, and A. S. Verkman C126

Improved oxygenation promotes CFTR maturation and trafficking in MDCK monolayers
Z. Bebök, A. Tousson, L. M. Schwiebert, and C. J. Venglarik C135

Expression of the Na^+/Ca^{2+} exchanger in skeletal muscle
B. Fraysse, T. Rouaud, M. Millour, J. Fontaine-Pérus, M.-F. Gardahaut, and D. O. Levitsky C146

A proposed mechanism for the potentiation of cAMP-mediated acid secretion by carbachol
Y. Muto, T. Nagao, M. Yamada, K. Mikoshiba, and T. Urushidani C155

The ΔF508 mutation shortens the biochemical half-life of plasma membrane CFTR in polarized epithelial cells
G. D. Heda, M. Tanwani, and C. R. Marino C166

Properties of voltage-gated Ca^{2+} channels in rabbit ventricular myocytes expressing Ca^{2+} channel α_{1E} cDNA
M. Tateyama, S. Zong, T. Tanabe, and R. Ochi C175

MAP kinase upregulation after hematopoietic differentiation: role of chemotaxis
J. A. Lehman, C. C. Paul, M. A. Baumann, and J. Gómez-Cambronero C183

Differential renal distribution of NHERF isoforms and their colocalization with NHE3, ezrin, and ROMK
J. B. Wade, P. A. Welling, M. Donowitz, S. Shenolikar, and E. J. Weinman C192

Properties of ATP-dependent K^+ channels in adrenocortical cells
L. Xu and J. J. Enyeart C199

Flow-induced expression of endothelial Na-K-Cl cotransport: dependence on K^+ and Cl^- channels
J. Suvatne, A. I. Barakat, and M. E. O'Donnell C216

Generation and phenotype of cell lines derived from CF and non-CF mice that carry the *H-2K^b-tsA58* transgene
M. Takacs-Jarrett, W. E. Sweeney, E. D. Avner, and C. U. Cotton C228

No. 2. FEBRUARY 2001

EDITORIAL FOCUS

Use of knockouts to define sequential steps on a pathway to organ injury. Focus on "Essential role for IL-6 in postresuscitation inflammation in hemorrhagic shock"
J. S. Solomkin C237

Fiber type-specific expression of major proteolytic systems in fast- to slow-transforming rabbit muscle
K. R. Sultan, B. T. Dittrich, E. Leisner, N. Paul, and D. Pette C239

Hypertonicity-induced phosphorylation and nuclear localization of the transcription factor TonEBP
S. C. Dahl, J. S. Handler, and H. M. Kwon C248

Regional variation in myosin isoforms and phosphorylation at the resting tone in urinary bladder smooth muscle
J. A. Hypolite, M. E. DiSanto, Y. Zheng, S. Chang, A. J. Wein, and S. Chacko C254

α_{1H} T-type Ca^{2+} channel is the predominant subtype expressed in bovine and rat zona glomerulosa
A. D. Schrier, H. Wang, E. M. Talley, E. Perez-Reyes, and P. Q. Barrett C265

Muscle LIM protein is upregulated in fast skeletal muscle during transition toward slower phenotypes
R. Willmann, J. Kusch, K. R. Sultan, A. G. Schneider, and D. Pette C273

Effect of culture Po_2 on macrophage (RAW 264.7) nitric oxide production
C. M. Otto and J. E. Baumgardner C280

Excitability and contractility of skeletal muscle engineered from primary cultures and cell lines
R. G. Dennis, P. E. Kosnik II, M. E. Gilbert, and J. A. Faulkner C288

Cryptdin-3 induces novel apical conductance(s) in Cl^- secretory, including cystic fibrosis, epithelia
D. Merlin, G. Yue, W. I. Lencer, M. E. Selsted, and J. L. Madara C296

State-dependent modification of ATP-sensitive K^+ channels by phosphatidylinositol 4,5-bisphosphate
M. Okamura, M. Kakei, K. Ichinari, A. Miyamura, N. Oketani, N. Koriyama, and C. Tei C303

Single rabbit stomach smooth muscle cell myosin heavy chain SMB expression and shortening velocity
T. J. Eddinger and D. P. Meer C309

Polyamines in pancreatic islets of obese-hyperglycemic (*ob/ob*) mice of different ages
Å. Sjöholm, P. Arkhammar, P.-O. Berggren, and A. Andersson C317

Troponin I chimera analysis of the cardiac myofilament tension response to protein kinase A
M. V. Westfall, I. I. Turner, F. P. Albayya, and J. M. Metzger C324

Regulatory pathways and uptake of L-DOPA by capillary cerebral endothelial cells, astrocytes, and neuronal cells
B. Sampaio-Maia, M. P. Serrão, and P. Soares-da-Silva C333

Essential role for IL-6 in postresuscitation inflammation in hemorrhagic shock
Z. H. Meng, K. Dyer, T. R. Billiar, and D. J. Tweardy C343

Static stretch increases c-Jun NH_2-terminal kinase activity and p38 phosphorylation in rat skeletal muscle
M. D. Boppart, M. F. Hirshman, K. Sakamoto, R. A. Fielding, and L. J. Goodyear C352

Differential expression of KvLQT1 and its regulator IsK in mouse epithelia
S. Demolombe, D. Franco, P. de Boer, S. Kuperschmidt, D. Roden, Y. Pereon, A. Jarry, A. F. M. Moorman, and D. Escande C359

Tissue distribution and subcellular localization of the ClC-5 chloride channel in rat intestinal cells
A. Vandewalle, F. Cluzeaud, K.-C. Peng, M. Bens, A. Lüchow, W. Günther, and T. J. Jentsch C373

Expression of extracellular calcium-sensing receptor in human osteoblastic MG-63 cell line
T. Yamaguchi, N. Chattopadhyay, O. Kifor, C. Ye, P. M. Vassilev, J. L. Sanders, and E. M. Brown C382

SPECIAL TOPIC

Model Organisms: New Insights Into Ion Channel and Transporter Function. L-type calcium channels regulate epithelial fluid transport in *Drosophila melanogaster*
M. R. MacPherson, V. P. Pollock, K. E. Broderick, L. Kean, F. C. O'Connell, J. A. T. Dow, and S. A. Davies C394

RAPID COMMUNICATION

bHLH transcription factor MyoD affects myosin heavy chain expression pattern in a muscle-specific fashion
D. J. Seward, J. C. Haney, M. A. Rudnicki, and S. J. Swoap C408

No. 3. MARCH 2001

Creatine transporter protein content, localization, and gene expression in rat skeletal muscle
R. Murphy, G. McConell, D. Cameron-Smith, K. Watt, L. Ackland, B. Walzel, T. Wallimann, and R. Snow C415

Negative regulation of epithelium-neutrophil interactions via activation of CD44
M. Si-Tahar, S. Sitaraman, T. Shibahara, and J. L. Madara C423

Estrogen modulates the expression of myosin heavy chain in detrusor smooth muscle
R. F. Sánchez-Ortiz, Z. Wang, C. Menon, M. E. DiSanto, A. J. Wein, and S. Chacko C433

IFN-γ + LPS induction of iNOS is modulated by ERK, JNK/SAPK, and $p38^{mapk}$ in a mouse macrophage cell line
E. D. Chan and D. W. H. Riches C441

NH_2-terminal modification of a channel-forming peptide increases capacity for epithelial anion secretion
J. R. Broughman, K. E. Mitchell, R. L. Sedlacek, T. Iwamoto, J. M. Tomich, and B. D. Schultz C451

Distinct PKC isozymes regulate bufalin-induced differentiation and apoptosis in human monocytic cells
M. Kurosawa, Y. Tani, S. Nishimura, S. Numazawa, and T. Yoshida C459

CCK independently activates intracellular trypsinogen and NF-κB in rat pancreatic acinar cells
B. Han, B. Ji, and C. D. Logsdon C465

Effects of KCNQ channel blockers on K^+ currents in vestibular hair cells
K. J. Rennie, T. Weng, and M. J. Correia C473

Voltage dependence of the coupling of Ca^{2+} sparks to BK_{Ca} channels in urinary bladder smooth muscle
G. M. Herrera, T. J. Heppner, and M. T. Nelson C481

Corneal endothelial NKCC: molecular identification, location, and contribution to fluid transport
K. Kuang, Y. Li, Q. Wen, Z. Wang, J. Li, Y. Yang, P. Iserovich, P. S. Reinach, J. Sparrow, F. P. J. Diecke, and J. Fischbarg C491

Alteration of Cx43:Cx40 expression ratio in A7r5 cells
J. M. Burt, A. M. Fletcher, T. D. Steele, Y. Wu, G. T. Cottrell, and D. T. Kurjiaka C500

Glucocorticoids increase sodium pump α_2- and β_1-subunit abundance and mRNA in rat skeletal muscle
C. B. Thompson, I. Dorup, J. Ahn, P. K. K. Leong, and A. A. McDonough C509

Regulation of the mitochondrial permeability transition by matrix Ca^{2+} and voltage during anoxia/reoxygenation
P. Korge, H. M. Honda, and J. N. Weiss C517

Spatiotemporal expression of catenins, ZO-1, and occludin during early polarization of hepatic WIF-B9 cells
C. Decaens and D. Cassio C527

Electron paramagnetic resonance reveals age-related myosin structural changes in rat skeletal muscle fibers
D. A. Lowe, J. T. Surek, D. D. Thomas, and L. V. Thompson C540

Molecular characterization of the 5′ regulatory region of rat sodium-dependent multivitamin transporter gene
N. S. Chatterjee, S. A. Rubin, and H. M. Said C548

Control of microtubule assembly by extracellular matrix and externally applied strain
A. J. Putnam, K. Schultz, and D. J. Mooney C556

FPL-64176 modifies pore properties of L-type Ca^{2+} channels
J.-S. Fan, Y. Yuan, and P. Palade C565

Redistribution and abnormal activity of phospholipase A_2 isoenzymes in postinfarct congestive heart failure
J. McHowat, P. S. Tappia, S.-Y. Liu, R. McCrory, and V. Panagia C573

Serotonin-elicited inhibition of Cl^- secretion in the rabbit conjunctival epithelium
L. J. Alvarez, H. C. Turner, A. C. Zamudio, and O. A. Candia C581

Integrin mobilizes intracellular Ca^{2+} in renal vascular smooth muscle cells
W.-L. Chan, N.-H. Holstein-Rathlou, and K.-P. Yip C593

cAMP-independent phosphorylation activation of CFTR by G proteins in native human sweat duct
M. M. Reddy and P. M. Quinton C604

Urea sensitizes mIMCD3 cells to heat shock-induced apoptosis: protection by NaCl
C. Colmont, S. Michelet, D. Guivarc'h, and G. Rousselet C614

Contractile activity-induced oxidative stress: cellular origin and adaptive responses
A. McArdle, D. Pattwell, A. Vasilaki, R. D. Griffiths, and M. J. Jackson C621

Regulation of the human sodium-phosphate cotransporter NaP_i-IIb gene promoter by epidermal growth factor
H. Xu, J. F. Collins, L. Bai, P. R. Kiela, and F. K. Ghishan C628

Mutation of the IIB myosin heavy chain gene results in muscle fiber loss and compensatory hypertrophy
D. L. Allen, B. C. Harrison, C. Sartorius, W. C. Byrnes, and L. A. Leinwand C637

Differences in Ca^{2+} signaling underlie age-specific effects of secretagogues on colonic Cl^- transport
J. Venkatasubramanian, N. Selvaraj, M. Carlos, S. Skaluba, M. M. Rasenick, and M. C. Rao C646

Reactive oxygen species from NAD(P)H:quinone oxidoreductase constitutively activate NF-κB in malignant melanoma cells
S. S. Brar, T. P. Kennedy, A. R. Whorton, A. B. Sturrock, T. P. Hueckstead, A. J. Ghio, and J. R. Hoidal C659

Progesterone treatment abolishes exogenously expressed ionic currents in *Xenopus* oocytes
A. D. Shcherbatko, C. M. Davenport, J. C. Speh, S. R. Levinson, G. Mandel, and P. Brehm C677

Muscarinic stimulation increases basal Ca^{2+} and inhibits spontaneous Ca^{2+} transients in murine colonic myocytes
O. Bayguinov, B. Hagen, and K. M. Sanders C689

Prostaglandin endoperoxide H synthase expression in human thyroid epithelial cells
A. G. Gianoukakis, H. J. Cao, T. A. Jennings, and T. J. Smith C701

Fas/Fas ligand-mediated death pathway is involved in oxLDL-induced apoptosis in vascular smooth muscle cells
T.-S. Lee and L.-Y. Chau C709

No. 4. APRIL 2001

INVITED REVIEW

Oxidant stress and endothelial cell dysfunction
H. Lum and K. A. Roebuck C719

Bitter taste transduced by PLC-β_2-dependent rise in IP_3 and α-gustducin-dependent fall in cyclic nucleotides
W. Yan, G. Sunavala, S. Rosenzweig, M. Dasso, J. G. Brand, and A. I. Spielman C742

cAMP-sensitive endocytic trafficking in A6 epithelia
M. B. Butterworth, S. I. Helman, and W. J. Els C752

Differential global gene expression in red and white skeletal muscle
W. G. Campbell, S. E. Gordon, C. J. Carlson, J. S. Pattison, M. T. Hamilton, and F. W. Booth C763

Circulating monocytes are not the source of elevations in plasma IL-6 and TNF-α levels after prolonged running
R. L. Starkie, J. Rolland, D. J. Angus, M. J. Anderson, and M. A. Febbraio C769

Role of SNAP-23 in trafficking of H^+-ATPase in cultured inner medullary collecting duct cells
A. Banerjee, G. Li, E. A. Alexander, and J. H. Schwartz C775

Effects of aging on actin sliding speed on myosin from single skeletal muscle cells of mice, rats, and humans
P. Höök, V. Sriramoju, and L. Larsson C782

PLD pathway involved in carbachol-induced Cl^- secretion: possible role of TNF-α
J. C. J. Oprins, C. van der Burg, H. P. Meijer, T. Munnik, and J. A. Groot C789

K^+ channels and the microglial respiratory burst
R. Khanna, L. Roy, X. Zhu, and L. C. Schlichter C796

Differential effects of flavonoids on 3T3-L1 adipogenesis and lipolysis
A. W. Harmon and J. B. Harp C807

Human neutrophils facilitate tumor cell transendothelial migration
Q. D. Wu, J. H. Wang, C. Condron, D. Bouchier-Hayes, and H. P. Redmond C814

Caveolin-1 expression sensitizes fibroblastic and epithelial cells to apoptotic stimulation
J. Liu, P. Lee, F. Galbiati, R. N. Kitsis, and M. P. Lisanti C823

Cloning and functional expression of a liver isoform of the small conductance Ca^{2+}-activated K^+ channel SK3
E. T. Barfod, A. L. Moore, and S. D. Lidofsky C836

Regulation of SERCA Ca^{2+} pump expression by cytoplasmic [Ca^{2+}] in vascular smooth muscle cells
K.-D. Wu, D. Bungard, and J. Lytton C843

Potent NK_1 antagonism by SR-140333 reduces rat colonic secretory response to immunocyte activation
D. Moriarty, N. Selve, A. W. Baird, and J. Goldhill C852

KCNQ4 channels expressed in mammalian cells: functional characteristics and pharmacology
R. Søgaard, T. Ljungstrøm, K. A. Pedersen, S.-P. Olesen, and B. S. Jensen C859

Glutathione protects chemokine-scavenging and antioxidative defense functions in human RBCs
U. J. Dumaswala, L. Zhuo, S. Mahajan, P. N. M. Nair, H. G. Shertzer, P. Dibello, and D. W. Jacobsen C867

Depletion of focal adhesion kinase by antisense depresses contractile activation of smooth muscle
D. D. Tang and S. J. Gunst C874

G protein coupling to M_1 and M_3 muscarinic receptors in sublingual glands
W. Luo, L. R. Latchney, and D. J. Culp C884

Hypoxia-activated ligand HAL-1/13 is lupus autoantigen Ku80 and mediates lymphoid cell adhesion in vitro
E. M. Lynch, R. B. Moreland, I. Ginis, S. P. Perrine, and D. V. Faller C897

Insulin increases the turnover rate of Na^+-K^+-ATPase in human fibroblasts
N. Longo, F. Scaglia, and Y. Wang C912

Ca^{2+} mediates the effect of inhibition of Na^+-K^+-ATPase on the basolateral K^+ channels in the rat CCD
Y. Wei, M. Lu, and W. Wang C920

PKD in intestinal epithelial cells: rapid activation by phorbol esters, LPA, and angiotensin through PKC
T. Chiu and E. Rozengurt C929

Regulation of $P2X_7$ nucleotide receptor function in human monocytes by extracellular ions and receptor density
L. Gudipaty, B. D. Humphreys, G. Buell, and G. R. Dubyak C943

Agouti regulates adipocyte transcription factors
R. L. Mynatt and J. M. Stephens C954

Shear stress induces a time- and position-dependent increase in endothelial cell membrane fluidity
P. J. Butler, G. Norwich, S. Weinbaum, and S. Chien C962

Activation of K^+ channels induces apoptosis in vascular smooth muscle cells
S. Krick, O. Platoshyn, M. Sweeney, H. Kim, and J. X.-J. Yuan C970

Ca^{2+}-induced contraction of cat esophageal circular smooth muscle cells
W. Cao, Q. Chen, U. D. Sohn, N. Kim, M. T. Kirber, K. M. Harnett, J. Behar, and P. Biancani C980

Ca^{2+}-RhoA signaling pathway required for polyamine-dependent intestinal epithelial cell migration
J. N. Rao, L. Li, V. A. Golovina, O. Platoshyn, E. D. Strauch, J.-X. Yuan, and J.-Y. Wang C993

Ontogenetic, gravity-dependent development of rat soleus muscle
Y. Ohira, T. Tanaka, T. Yoshinaga, F. Kawano, T. Nomura, I. Nonaka, D. L. Allen, R. R. Roy, and V. R. Edgerton C1008

SPECIAL COMMUNICATION

Predicted location and limited accessibility of protein kinase A phosphorylation site on Na-K-ATPase
K. J. Sweadner and M. S. Feschenko C1017

RAPID COMMUNICATION

Caloxin: a novel plasma membrane Ca^{2+} pump inhibitor
J. Chaudhary, M. Walia, J. Matharu, E. Escher, and A. K. Grover C1027

No. 5. MAY 2001

Increased functional cell surface expression of CFTR and ΔF508-CFTR by the anthracycline doxorubicin
R. Maitra, C. M. Shaw, B. A. Stanton, and J. W. Hamilton C1031

Evaluation of ovarian POMC mRNA through quantitative RT-PCR analysis in *Rana esculenta*
M. Nabissi, L. Soverchia, I. Lihrmann, H. Vaudry, G. Mosconi, and A. M. Polzonetti-Magni C1038

Mac-1-dependent tyrosine phosphorylation during neutrophil adhesion
M. Takami, R. Herrera, and L. Petruzzelli C1045

TNF-α inhibits flow and insulin signaling leading to NO production in aortic endothelial cells
F. Kim, B. Gallis, and M. A. Corson C1057

n-6 and n-3 polyunsaturated fatty acids differentially modulate oncogenic Ras activation in colonocytes
E. D. Collett, L. A. Davidson, Y.-Y. Fan, J. R. Lupton, and R. S. Chapkin C1066

Characterization of nucleoside transport systems in cultured rat epididymal epithelium
G. P. H. Leung, J. L. Ward, P. Y. D. Wong, and C.-M. Tse C1076

Cloning of a novel EGFR-related peptide: a putative negative regulator of EGFR
Y. Yu, A. K. Rishi, J. R. Turner, D. Liu, E. D. Black, J. A. Moshier, and A. P. N. Majumdar C1083

Na^+/Ca^{2+} exchange and its role in intracellular Ca^{2+} regulation in guinea pig detrusor smooth muscle
C. Wu and C. H. Fry C1090

Protein kinase C-mediated desensitization of the neurokinin 1 receptor
O. Déry, K. A. Defea, and N. W. Bunnett C1097

Stimulation of cardiac L-type calcium channels by extracellular ATP
Q.-Y. Liu and R. L. Rosenberg C1107

Increased contractility and altered Ca^{2+} transients of mouse heart myocytes conditionally expressing PKCβ
L. Huang, B. M. Wolska, D. E. Montgomery, E. M. Burkart, P. M. Buttrick, and R. J. Solaro C1114

Coupling of L-type voltage-sensitive calcium channels to $P2X_2$ purinoceptors in PC-12 cells
E.-M. Hur, T.-J. Park, and K.-T. Kim C1121

Single-channel basis for conductance increase induced by isoflurane in *Shaker* H4 IR K^+ channels
J. Li and A. M. Correa C1130

Intracellular Ca^{2+} signaling in endothelial cells by the angiogenesis inhibitors endostatin and angiostatin
L. Jiang, V. Jha, M. Dhanabal, V. P. Sukhatme, and S. L. Alper C1140

Regulation of mitochondrial glutamine/glutamate metabolism by glutamate transport: studies with ^{15}N
T. Welbourne and I. Nissim C1151

Nongenomic effect of testosterone on chloride secretion in cultured rat efferent duct epithelia
G. P. H. Leung, S. B. Cheng-Chew, and P. Y. D. Wong C1160

Transcriptional regulation of rat Na^+/H^+ exchanger isoform-2 (*NHE-2*) gene by Sp1 transcription factor
L. Bai, J. F. Collins, H. Xu, and F. K. Ghishan C1168

Acidification and glucocorticoids independently regulate branched-chain α-ketoacid dehydrogenase subunit genes
X. Wang, J. M. Chinsky, P. A. Costeas, and S. R. Price C1176

Differential expression and alternative splicing of TRP channel genes in smooth muscles
R. L. Walker, J. R. Hume, and B. Horowitz C1184

Nifedipine-activated Ca^{2+} permeability in newborn rat cortical collecting duct cells in primary culture
L. Valencia, M. Bidet, S. Martial, E. Sanchez, E. Melendez, M. Tauc, C. Poujeol, D. Martin, M. Del Carmen Namorado, J. L. Reyes, and P. Poujeol C1193

Influence of caveolin-1 on cellular cholesterol efflux mediated by high-density lipoproteins
P. G. Frank, F. Galbiati, D. Volonte, B. Razani, D. E. Cohen, Y. L. Marcel, and M. P. Lisanti C1204

Cloning and functional characterization of a high-affinity Na^+/dicarboxylate cotransporter from mouse brain
A. M. Pajor, R. Gangula, and X. Yao C1215

IFN-γ downregulates expression of Na^+/H^+ exchangers NHE2 and NHE3 in rat intestine and human Caco-2/bbe cells
F. Rocha, M. W. Musch, L. Lishanskiy, C. Bookstein, K. Sugi, Y. Xie, and E. B. Chang C1224

Pertussis toxin directly activates endothelial cell p42/p44 MAP kinases via a novel signaling pathway
J. G. N. Garcia, P. Wang, F. Liu, M. B. Hershenson, T. Borbiev, and A. D. Verin C1233

Evaluation of islet heme oxygenase-CO and nitric oxide synthase-NO pathways during acute endotoxemia
R. Henningsson, P. Alm, and I. Lundquist C1242

Differential effects of growth hormone and insulin-like growth factor I on human endothelial cell migration
S. Ikeo, K. Yamauchi, S. Shigematsu, K. Nakajima, T. Aizawa, and K. Hashizume C1255

In vivo regulation of the β-myosin heavy chain gene in hypertensive rodent heart
C. E. Wright, P. W. Bodell, F. Haddad, A. X. Qin, and K. M. Baldwin C1262

Overexpression of stomatin depresses GLUT-1 glucose transporter activity
J.-Z. Zhang, W. Abbud, R. Prohaska, and F. Ismail-Beigi C1277

A store-operated nonselective cation channel in lymphocytes is activated directly by Ca^{2+} influx factor and diacylglycerol
Z. Su, P. Csutora, D. Hunton, R. L. Shoemaker, R. B. Marchase, and J. E. Blalock C1284

Arachidonic acid both inhibits and enhances whole cell calcium currents in rat sympathetic neurons
L. Liu, C. F. Barrett, and A. R. Rittenhouse C1293

Arachidonic acid reversibly enhances N-type calcium current at an extracellular site
C. F. Barrett, L. Liu, and A. R. Rittenhouse C1306

Mouse MCT3 gene is expressed preferentially in retinal pigment and choroid plexus epithelia
N. J. Philp, H. Yoon, and L. Lombardi C1319

Molecular identification of a TTX-sensitive Ca^{2+} current
S. Guatimosim, E. A. Sobie, J. dos Santos Cruz, L. A. Martin, and W. J. Lederer C1327

SPECIAL TOPIC

Model Organisms: New Insights Into Ion Channel and Transporter Function.
Stomatin homologues interact in *Caenorhabditis elegans*
M. M. Sedensky, J. M. Siefker, and P. G. Morgan C1340

RAPID COMMUNICATION

Role of IP_3 in modulation of spontaneous activity in pacemaker cells of rabbit urethra
G. P. Sergeant, M. A. Hollywood, K. D. McCloskey, N. G. McHale, and K. D. Thornbury C1349

No. 6. JUNE 2001

COMMENTARY

Vascular endothelial growth factor: molecular underpinning from development of vasculature to development of disease
M. S. Goligorsky C1357

INVITED REVIEWS

Role of vascular endothelial growth factor in regulation of physiological angiogenesis
N. Ferrara C1358

Vascular endothelial growth factor and vascular adjustments to perturbations in oxygen homeostasis
Y. Dor, R. Porat, and E. Keshet C1367

Signaling mechanisms mediating vascular protective actions of vascular endothelial growth factor
I. Zachary C1375

Noninvasive measurement of chloride concentration in rat olfactory receptor cells with use of a fluorescent dye
H. Kaneko, T. Nakamura, and B. Lindemann C1387

Soluble heparin-binding peptides regulate chemokinesis and cell adhesive forces
J. H. Chon and E. L. Chaikof C1394

Inhibitory actions of ceramide upon PKC-ε/ERK interactions
N. A. Bourbon, J. Yun, D. Berkey, Y. Wang, and M. Kester C1403

Calcium-sensing receptor activation induces intracellular calcium oscillations
G. E. Breitwieser and L. Gama C1412

Induction of TNF-α and MnSOD by endotoxin: role of membrane CD14 and Toll-like receptor-4
M.-F. Tsan, R. N. Clark, S. M. Goyert, and J. E. White C1422

Differential effects of apical and basolateral uridine triphosphate on intestinal epithelial chloride secretion
J. E. Smitham and K. E. Barrett C1431

Collagen gel overlay induces two phases of apoptosis in MDCK cells
Y.-K. Wang, H.-H. Lin, and M.-J. Tang C1440

Normal Ca^{2+} extrusion by the Ca^{2+} pump of intact red blood cells exposed to high glucose concentrations
J. E. Raftos, A. Edgley, R. M. Bookchin, Z. Etzion, V. L. Lew, and T. Tiffert C1449

Protease-activated receptor-2-mediated inhibition of ion transport in human bronchial epithelial cells
H. Danahay, L. Withey, C. T. Poll, S. F. J. van de Graaf, and R. J. Bridges C1455

Amino acid depletion activates TonEBP and sodium-coupled inositol transport
R. Franchi-Gazzola, R. Visigalli, V. Dall'Asta, R. Sala, S. K. Woo, H. M. Kwon, G. C. Gazzola, and O. Bussolati C1465

Twisting integrin receptors increases endothelin-1 gene expression in endothelial cells
J. Chen, B. Fabry, E. L. Schiffrin, and N. Wang C1475

Differential effects of UTP, ATP, and adenosine on ciliary activity of human nasal epithelial cells
D. M. Morse, J. L. Smullen, and C. W. Davis C1485

Modulation of PKCδ tyrosine phosphorylation and activity in salivary and PC-12 cells by Src kinases
C. Benes and S. P. Soltoff C1498

Expression and regulation of ClC-5 chloride channels: effects of antisense and oxidants
T. X. Weng, L. Mo, H. L. Hellmich, A. S. L. Yu, T. Wood, and N. K. Wills C1511

Model of ionic transport for bovine ciliary epithelium: effects of acetazolamide and HCO_3^-
C.-H. To, C.-W. Do, A. C. Zamudio, and O. A. Candia C1521

Activation of P2Y but not $P2X_4$ nucleotide receptors causes elevation of $[Ca^{2+}]_i$ in mammalian osteoclasts
A. F. Weidema, S. J. Dixon, and S. M. Sims C1531

Human intestinal epithelial cell survival: differentiation state-specific control mechanisms
R. Gauthier, C. Harnois, J.-F. Drolet, J. C. Reed, A. Vézina, and P. H. Vachon C1540

Effect of cyclic stretch on α-subunit mRNA expression of Na^+-K^+-ATPase in aortic smooth muscle cells
N. Sevieux, J. Alam, and E. Songu-Mize C1555

Calpain 3 mRNA expression in mice after denervation and during muscle regeneration
D. Stockholm, M. Herasse, S. Marchand, C. Praud, C. Roudaut, I. Richard, A. Sebille, and J. S. Beckmann C1561

Effect of vitamin supplementation on cytokine response and on muscle damage after strenuous exercise
E. W. Petersen, K. Ostrowski, T. Ibfelt, M. Richelle, E. Offord, J. Halkjær-Kristensen, and B. K. Pedersen C1570

Perturbation of the pump-leak balance for Na^+ and K^+ in malaria-infected erythrocytes
H. M. Staines, J. C. Ellory, and K. Kirk C1576

Regulation of ClC-2 chloride channels in T84 cells by TGF-α
M. Bali, J. Lipecka, A. Edelman, and J. Fritsch C1588

Localization of ClC-2 Cl^- channels in rabbit gastric mucosa
A. M. Sherry, D. H. Malinowska, R. E. Morris, G. M. Ciraolo, and J. Cuppoletti C1599

Endogenous and exogenous Na-K-Cl cotransporter expression in a low K-resistant mutant MDCK cell line
J. A. Payne, C. Ferrell, and C. Y. Chung C1607

SPECIAL COMMUNICATIONS

Identified neurons in *C. elegans* coexpress vesicular transporters for acetylcholine and monoamines
J. S. Duerr, J. Gaskin, and J. B. Rand C1616

In situ calibration and $[H^+]$ sensitivity of the fluorescent Na^+ indicator SBFI
A. Diarra, C. Sheldon, and J. Church C1623

COMMENTARY

Nonmuscle Motility/Cytoskeleton
K. G. Morgan C1634

SPECIAL TOPIC

Tumor necrosis factor-α inhibits store-mediated Ca^{2+} entry in the human hepatocellular carcinoma cell line HepG2
J. A. Rosado, I. Rosenzweig, S. Harding, and S. O. Sage C1636

Leiomodin and tropomodulin in smooth muscle
C. A. Conley C1645

Etk/Bmx activation modulates barrier function in epithelial cells
S. F. Hamm-Alvarez, A. Chang, Y. Wang, G. Jerdeva, H. H. Lin, K.-J. Kim, and D. K. Ann C1657

Stress fiber organization regulated by MLCK and Rho-kinase in cultured human fibroblasts
K. Katoh, Y. Kano, M. Amano, K. Kaibuchi, and K. Fujiwara C1669

Modulatory role of ERK MAPK-caldesmon pathway in PDGF-stimulated migration of cultured pulmonary artery SMCs
I. A. Yamboliev and W. T. Gerthoffer C1680